## AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings of claims in the application:

## LISTING OF CLAIMS:

1. (currently amended):  $\frac{Safety}{A}$  A safety device for a fall restraint, comprising:

anchoring means to which the fall restraint can be coupled directly or indirectly; [[,]] and comprising

fastening means for that make a firm and durable connection to an object a wall, characterized in that the fastening means comprise a flexible fastening flap from which a fastening net extends, and that the anchoring means are connected via the fastening net to the flexible fastening flap.

- 2. (currently amended): Safety The safety device as claimed in claim 1, characterized in that wherein the fastening net is polygonal shaped and is attached to the fastening flap at more than one side of said polygonal shape.
- 3. (currently amended): Safety The safety device as claimed in claim 1, characterized in that wherein the fastening net is integrated in the fastening flap.

- 4. (currently amended): Safety The safety device as claimed in claim 1, characterized in that wherein the fastening net is strengthened with longitudinal threads and transverse threads.
- 5. (currently amended): Safety The safety device as claimed in claim 1, characterized in that wherein the fastening net is manufactured at least partially from plastic or metal.
- 6. (currently amended): Safety The safety device as claimed in claim 1, characterized in that wherein the fastening flap forms part of an optionally unrolled roll of roof-covering material.
- 7. (currently amended): Safety The safety device as claimed in claim 6, characterized in that wherein the roof-covering material comprises a material from a group of plastic and bitumen.
- 8. (currently amended): Safety The safety device as claimed in claim 6, characterized in that wherein the fastening net is fixed to an inlay in the roof-covering material and is incorporated simultaneously therewith in the roof-covering material.

- 9. (withdrawn currently amended): Safety The safety device as claimed in claim 1, characterized in that wherein the anchoring means comprise a resilient construction.
- 10. (currently amended): Safety The safety device as claimed in claim 1, characterized in that wherein the anchoring means comprise a fixing eyelet, ring or loop.
- 11. (currently amended): Safety The safety device as claimed in claim 2, characterized in that wherein the fastening net is strengthened with longitudinal threads and transverse threads.
- 12. (currently amended): Safety The safety device as claimed in claim 3, characterized in that wherein the fastening net is strengthened with longitudinal threads and transverse threads.
- 13. (currently amended): Safety The safety device as claimed in claim 2, characterized in that wherein the fastening net is manufactured at least partially from plastic or metal.
- 14. (currently amended): Safety The safety device as claimed in claim 3, characterized in that wherein the fastening net is manufactured at least partially from plastic or metal.

- 15. (currently amended): Safety The safety device as claimed in claim 4, characterized in that wherein the fastening net is manufactured at least partially from plastic or metal.
- 16. (currently amended): Safety The safety device as claimed in claim 2, characterized in that wherein the fastening flap forms part of an optionally unrolled roll of roof-covering material.
- 17. (currently amended): Safety The safety device as claimed in claim 3, characterized in that wherein the fastening flap forms part of an optionally unrolled roll of roof-covering material.
- 18. (currently amended): Safety The safety device as claimed in claim 4, characterized in that wherein the fastening flap forms part of an optionally unrolled roll of roof-covering material.
- 19. (currently amended): Safety The safety device as claimed in claim 5, characterized in that wherein the fastening flap forms part of an optionally unrolled roll of roof-covering material.

20. (withdrawn - currently amended): Safety The safety device as claimed in claim 21 2, characterized in that wherein the anchoring means comprise a resilient construction.